

SPLIT TYPE  
AIR CONDITIONER  
CASSETTE TYPE (50Hz)

# SERVICE MANUAL



| Indoor unit | Outdoor unit |
|-------------|--------------|
| AUY18RLD    | AOY18RZBL    |
| AUY25RLD    | AOY25RZAL    |
| AUY30RLD    | AOY30RBJL    |
| AUY36RLC3   | AOY36RCD3L   |
| AUY45RLC3   | AOY45RCD3L   |

# SPECIFICATIONS

| MODEL                |                                    |            |                   | AUY18RLD                                             |       | AUY25RLD    |  |  |
|----------------------|------------------------------------|------------|-------------------|------------------------------------------------------|-------|-------------|--|--|
|                      |                                    |            |                   | ADY18RZBL                                            |       | ADY25RZAL   |  |  |
| COOLING CAPACITY     |                                    | kW         |                   | 5.10 - 5.20                                          |       | 6.95 - 7.05 |  |  |
| HEATING CAPACITY     |                                    | kW         |                   | 5.30 - 5.45                                          |       | 7.60 - 7.85 |  |  |
| POWER SUPPLY         |                                    |            |                   | 1 ~ 220-240V 50Hz                                    |       |             |  |  |
| TOTAL INPUT          |                                    | kW         | COOL              | 1.95 - 2.05                                          |       | 2.70 - 2.80 |  |  |
|                      |                                    |            | HEAT              | 1.85 - 1.95                                          |       | 2.50 - 2.60 |  |  |
| TOTAL CURRENT        |                                    | A          | COOL              | 9.1 - 8.9                                            |       | 12.7 - 13.0 |  |  |
|                      |                                    |            | HEAT              | 8.5 - 8.3                                            |       | 12.0 - 12.3 |  |  |
| E E R                |                                    | kW/<br>kW  | COOL              | 2.62 - 2.54                                          |       | 2.44 - 2.39 |  |  |
|                      |                                    |            | HEAT              | 2.86 - 2.79                                          |       | 3.04 - 3.02 |  |  |
| STARTING CURRENT     |                                    | A          |                   | 50                                                   |       | 61          |  |  |
| INDOOR<br>UNIT       | FAN SPEED                          | HI         | r. p. m.          | 500                                                  |       | 580         |  |  |
|                      |                                    | MED        | r. p. m.          | 430                                                  |       | 510         |  |  |
|                      |                                    | LOW        | r. p. m.          | 360                                                  |       | 430         |  |  |
|                      | AIR<br>CIRCULATION                 | HI         | m <sup>3</sup> /h | 1,000                                                |       | 1,200       |  |  |
|                      |                                    | MED        | m <sup>3</sup> /h | 850                                                  |       | 1,025       |  |  |
|                      |                                    | LOW        | m <sup>3</sup> /h | 700                                                  |       | 850         |  |  |
|                      | NOISE LEVEL<br>(SOUND<br>PRESSURE) | HI         | dB                | 41.5                                                 |       | 45.0        |  |  |
|                      |                                    | MED        | dB                | 37.0                                                 |       | 42.0        |  |  |
|                      |                                    | LOW        | dB                | 34.0                                                 |       | 39.0        |  |  |
|                      | HEAT EXCHANGER                     |            |                   | Plate fin coil                                       |       |             |  |  |
|                      | FAN TYPE x Q' TY                   |            |                   | Turbo fan x 1                                        |       |             |  |  |
|                      | FAN MOTOR OUTPUT                   |            | kW                | 0.037                                                |       |             |  |  |
|                      | OPERATION CONTROL                  |            |                   | L.C.D. wired remote controller                       |       |             |  |  |
|                      | DIMENSIONS                         | H          | mm(inch)          | 216 (8-1/2")                                         |       |             |  |  |
|                      |                                    | W          | mm(inch)          | 800 (31-1/2")                                        |       |             |  |  |
|                      |                                    | D          | mm(inch)          | 800 (31-1/2")                                        |       |             |  |  |
| WEIGHT               |                                    | kg         | 26                |                                                      |       |             |  |  |
| GRILLE               | DIMENSIONS                         | H          | mm(inch)          | 80 (3-5/32")                                         |       |             |  |  |
|                      |                                    | W          | mm(inch)          | 950 (37-13/32")                                      |       |             |  |  |
|                      |                                    | D          | mm(inch)          | 950 (37-13/32")                                      |       |             |  |  |
|                      | WEIGHT                             |            | kg                | 6.5                                                  |       |             |  |  |
| OUT-<br>DOOR<br>UNIT | FAN SPEED                          | HI         | r. p. m.          | 740                                                  |       |             |  |  |
|                      |                                    | LOW        | r. p. m.          | 280                                                  |       |             |  |  |
|                      | AIR CIRCULATION                    |            | HI                | m <sup>3</sup> /h                                    | 2,590 |             |  |  |
|                      | NOISE LEVEL                        | dB         | COOL              | 56                                                   |       | 56          |  |  |
|                      |                                    |            | HEAT              | 58                                                   |       | 58          |  |  |
|                      | HEAT EXCHANGER                     |            |                   | Plate fin coil                                       |       |             |  |  |
|                      | FAN TYPE x Q' TY                   |            |                   | Propeller fan x 1                                    |       |             |  |  |
|                      | FAN MOTOR OUTPUT                   |            | kW                | 0.060                                                |       |             |  |  |
|                      | COMPRESSOR                         | TYPE       |                   | AWG5524EXC                                           |       | AWG5532EXC  |  |  |
|                      |                                    | PROTECTION |                   | Internal protector (OCR), High pressure relief valve |       |             |  |  |
|                      | COMPRESSOR MOTOR OUTPUT            |            | kW                | 1.875                                                |       | 2.0         |  |  |
|                      | DIMENSIONS                         | H          | mm(inch)          | 643(25-5/16")                                        |       |             |  |  |
|                      |                                    | W          | mm(inch)          | 840(33-1/16")                                        |       |             |  |  |
| D                    |                                    | mm(inch)   | 336(13-7/32")     |                                                      |       |             |  |  |
| WEIGHT               |                                    | kg         | 68                |                                                      |       |             |  |  |

| MODEL               |                            |             |          | AUY18RLD    | AUY25RLD  |
|---------------------|----------------------------|-------------|----------|-------------|-----------|
|                     |                            |             |          | ADY18RZBL   | ADY25RZAL |
| REFRIGERANT CIRCUIT | DISCHARGE PRESSURE         | kg/ cmG     | COOL     | 19.1        | 20.1      |
|                     |                            |             | HEAT     | 19.7        | 21.2      |
|                     | SUCTION PRESSURE           | kg/ cmG     | COOL     | 5.2         | 4.9       |
|                     |                            |             | HEAT     | 4.5         | 4.0       |
|                     | DISCHARGE TEMP.            | °C          | COOL     | 90          | 101       |
|                     |                            |             | HEAT     | 85          | 81        |
|                     | REFRG. PIPE LENGTH         |             | m        | 5           |           |
|                     | DISCHARGE AIR TEMP.        | °C          | COOL     | 13.5        | 13.0      |
| HEAT                |                            |             | 41       | 42.0        |           |
| CONDITION           | INDOOR ENTERING AIR TEMP.  | COOL        | DB/WB °C | 27.0/19.0   |           |
|                     |                            | HEAT        | DB/WB °C | 20.0(15)    |           |
|                     | OUTDOOR ENTERING AIR TEMP. | COOL        | DB/WB °C | 35.0/24.0   |           |
|                     |                            | HEAT        | DB/WB °C | 7.0/6.0     |           |
| PIPING              | PIPE DIA. SIZE             | LIQUID      | mm(inch) | 9.53(3/8")  |           |
|                     |                            | GAS         | mm(inch) | 15.88(5/8") |           |
|                     | CONNECTION METHOD          |             |          | Flare       |           |
|                     | BETWEEN                    | HEIGHT      | m        | Max. 15     |           |
|                     |                            | PIPE LENGTH | m        | Max. 25     |           |

## ADDITIONAL REFRIGERANT CHARGING

| Pipe length |                    | 5 m(16 ft.)             | 10 m(33 ft.)            | 15 m(49 ft.)            | 20 m(66 ft.)            | 25 m(82 ft.)            | Additional refrigerant g/m (oz./ft.) |
|-------------|--------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|--------------------------------------|
| Models      | FULL CHARGE AMOUNT | 1,570 g<br>( 55.4 oz. ) | 1,810 g<br>( 63.8 oz. ) | 2,050 g<br>( 72.3 oz. ) | 2,290 g<br>( 80.8 oz. ) | 2,530 g<br>( 89.2 oz. ) | 48<br>(1.69 )                        |
|             |                    | 2,070 g<br>( 73.0 oz. ) | 2,240 g<br>( 79.0 oz. ) | 2,410 g<br>( 85.0 oz. ) | 2,580 g<br>( 91.0 oz. ) | 2,750 g<br>( 97.0 oz. ) | 34<br>(1.20)                         |

| MODEL                |                                    |            |          | AUG30RLD                                             | AUY36RLC3         | AUY45RLC3    |
|----------------------|------------------------------------|------------|----------|------------------------------------------------------|-------------------|--------------|
|                      |                                    |            |          | ADG30RBJL                                            | ADY36RCD3L        | ADY45RCD3L   |
| COOLING CAPACITY     |                                    | kW         |          | 8.6 - 8.8                                            | 10.3 - 10.5       | 12.4 - 12.7  |
| HEATING CAPACITY     |                                    | kW         |          | 8.8 - 9.1                                            | 10.5 - 10.7       | 13.4 - 13.7  |
| POWER SUPPLY         |                                    |            |          | 1 ~ 220-240V 50Hz                                    | 3 ~ 380-415V 50Hz |              |
| TOTAL INPUT          |                                    | kW         | COOL     | 3.35 - 3.45                                          | 3.88 - 3.95       | 4.45 - 4.57  |
|                      |                                    |            | HEAT     | 2.9 - 3.0                                            | 3.18 - 3.25       | 4.23 - 4.35  |
| TOTAL CURRENT        |                                    | A          | COOL     | 16.0 - 16.5                                          | 6.6 - 6.6         | 7.5 - 7.5    |
|                      |                                    |            | HEAT     | 14.1 - 14.6                                          | 6.1 - 5.8         | 7.4 - 7.4    |
| E E R                |                                    | kW/<br>kW  | COOL     | 2.57 - 2.55                                          | 2.65 - 2.66       | 2.79 - 2.78  |
|                      |                                    |            | HEAT     | 3.03 - 3.03                                          | 3.30 - 3.29       | 3.17 - 3.15  |
| STARTING CURRENT     |                                    | A          |          | 80                                                   | 42                | 55           |
| INDOOR<br>UNIT       | FAN SPEED                          | HI         | r. p. m. | 460                                                  | 570               | 680          |
|                      |                                    | MED        | r. p. m. | 380                                                  | 470               | 570          |
|                      |                                    | LOW        | r. p. m. | 320                                                  | 380               | 490          |
|                      | AIR<br>CIRCULATION                 | HI         | m³/h     | 1,200                                                | 1,400             | 1,700        |
|                      |                                    | MED        | m³/h     | 950                                                  | 1,150             | 1,500        |
|                      |                                    | LOW        | m³/h     | 700                                                  | 900               | 1,200        |
|                      | NOISE LEVEL<br>(SOUND<br>PRESSURE) | HI         | dB       | 47.5                                                 | 49.0              | 53.5         |
|                      |                                    | MED        | dB       | 44.0                                                 | 45.0              | 50.0         |
|                      |                                    | LOW        | dB       | 42.5                                                 | 42.5              | 46.5         |
|                      | HEAT EXCHANGER                     |            |          | Plate fin coil                                       |                   |              |
|                      | FAN TYPE x Q' TY                   |            |          | Turbo fan x 1                                        |                   |              |
|                      | FAN MOTOR OUTPUT                   |            | kW       | 0.042                                                | 0.042             | 0.088        |
|                      | OPERATION CONTROL                  |            |          | L.C.D. wired remote controller                       |                   |              |
|                      | DIMENSIONS                         | H          | mm(inch) | 302 (11-7/8")                                        |                   |              |
|                      |                                    | W          | mm(inch) | 800 (31-1/2")                                        |                   |              |
|                      |                                    | D          | mm(inch) | 800 (31-1/2")                                        |                   |              |
| WEIGHT               |                                    | kg         | 38       |                                                      |                   |              |
| GRILLE               | DIMENSIONS                         | H          | mm(inch) | 80 (3-5/32")                                         |                   |              |
|                      |                                    | W          | mm(inch) | 950 (37-13/32")                                      |                   |              |
|                      |                                    | D          | mm(inch) | 950 (37-13/32")                                      |                   |              |
|                      | WEIGHT                             |            | kg       | 6.5                                                  |                   |              |
| OUT-<br>DOOR<br>UNIT | FAN SPEED                          | HI         | r. p. m. | 760                                                  | 790               |              |
|                      |                                    | LOW        | r. p. m. | 420                                                  | 510               |              |
|                      | AIR CIRCULATION                    | HI         | m³/h     | 3,450                                                | 5,900             | 5,500        |
|                      | NOISE LEVEL                        | dB         | COOL     | 55.0                                                 | 58.0              | 59.0         |
|                      |                                    |            | HEAT     | 56.0                                                 | 59.0              | 60.0         |
|                      | HEAT EXCHANGER                     |            |          | Plate fin coil                                       |                   |              |
|                      | FAN TYPE x Q' TY                   |            |          | Propeller fan x 1                                    | Propeller fan x 2 |              |
|                      | FAN MOTOR OUTPUT                   |            | kW       | 0.063                                                | 0.063 x 2         |              |
|                      | COMPRESSOR                         | TYPE       |          | H23A42QABKA                                          | CRLQ-0350-TFD     | CRPQ-045-TFD |
|                      |                                    | PROTECTION |          | Internal protector (OCR), High pressure relief valve |                   |              |
|                      | COMPRESSOR MOTOR OUTPUT            |            | kW       | 2.8                                                  | 3.0               | 3.7          |
|                      | DIMENSIONS                         | H          | mm(inch) | 900(35-7/16")                                        | 1,152(45-11/32")  |              |
|                      |                                    | W          | mm(inch) | 900(35-7/16")                                        | 940(37")          |              |
|                      |                                    | D          | mm(inch) | 350(13-25/32")                                       | 370(14-9/16")     |              |
| WEIGHT               |                                    | kg         | 85       | 96                                                   | 108               |              |



| MODEL                            |                                  |             |          | ALY30RLD     | ALY36RLC3    | ALY45RLC3  |
|----------------------------------|----------------------------------|-------------|----------|--------------|--------------|------------|
|                                  |                                  |             |          | ADY30RBJL    | ADY36RCD3L   | ADY45RCD3L |
| REFRI-<br>GERANT<br>CIRCU-<br>IT | DISCHARGE<br>PRESSURE            | kg/ cmG     | COOL     | 20. 0        | 20. 2        | 18. 7      |
|                                  |                                  |             | HEAT     | 19. 0        | 16. 8        | 20. 4      |
|                                  | SUCT.<br>PRESSURE                | kg/ cmG     | COOL     | 5. 0         | 5. 0         | 4. 8       |
|                                  |                                  |             | HEAT     | 3. 9         | 4. 4         | 4. 0       |
|                                  | DISCHARGE<br>TEMP.               | ℃           | COOL     | 85           | 95           | 90         |
|                                  |                                  |             | HEAT     | 90           | 80           | 100        |
|                                  | REFRG. PIPE LENGTH               |             | m        | 5            |              |            |
|                                  | DISCHARGE<br>AIR TEMP.           | ℃           | COOL     | 12           | 12           | 12         |
|                                  |                                  |             | HEAT     | 45           | 42           | 46         |
| CONDI-<br>TION                   | INDOOR<br>ENTERING<br>AIR TEMP.  | COOL        | DB/WB ℃  | 27. 0/19. 0  |              |            |
|                                  |                                  | HEAT        | DB/WB ℃  | 20. 0(15. 5) |              |            |
|                                  | OUTDOOR<br>ENTERING<br>AIR TEMP. | COOL        | DB/WB ℃  | 35. 0/24. 0  |              |            |
|                                  |                                  | HEAT        | DB/WB ℃  | 7. 0/6. 0    |              |            |
| PIPING                           | PIPE DIA.<br>SIZE                | LIQUID      | mm(inch) | 9. 53(3/8")  |              |            |
|                                  |                                  | GAS         | mm(inch) | 15. 88(5/8") | 19. 05(3/4") |            |
|                                  | CONNECTION METHOD                |             |          | Flare        |              |            |
|                                  | BETWEEN                          | HEIGHT      | m        | Max. 15      | Max. 30      |            |
|                                  |                                  | PIPE LENGTH | m        | Max. 25      | Max. 50      |            |

#### ADDITIONAL REFRIGERANT CHARGING




| Pipe length        |           | 5 m                     | 10 m                   | 20 m                   | 25 m                   | 30 m                   | 40 m                   | 50 m      | Additional refrigerant g/m (oz./ft) |
|--------------------|-----------|-------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|-----------|-------------------------------------|
| Models             |           | (16 ft.)                | (33 ft.)               | (66 ft.)               | (82 ft.)               | (99 ft.)               | (132 ft.)              | (165 ft.) |                                     |
| FULL CHARGE AMOUNT | AUG30RLD  | 2,850 g<br>(100.5 oz.)  | 3,100 g<br>(109.3 oz.) | 3,600 g<br>(127.0 oz.) | 3,850 g<br>(135.8 oz.) |                        |                        |           | 50<br>( 1.76 )                      |
|                    | AUG36RLC3 | 2,800 g<br>( 98.8 oz. ) |                        | 3,000 g<br>(105.8 oz.) | 3,200 g<br>(112.9 oz.) | 3,600 g<br>(127.0 oz.) | 4,000 g<br>(141.1 oz.) |           | 40<br>( 1.41 )                      |
|                    | AUG45RLC3 | 3,400 g<br>(119.9 oz.)  |                        | 3,600 g<br>(127.0 oz.) | 3,800 g<br>(134.0 oz.) | 4,200 g<br>(148.1 oz.) | 4,600 g<br>(162.2 oz.) |           | 40<br>( 1.41 )                      |

## DIMENSIONS



Models : AUY18RLD/AOY18RZBL  
AUY25RLD/AOY25RZAL



Models : AUY30RLD/AOY30RBJL




Models : AUY36RLC3/AOY36RCD3L  
 AUY45RLC3/AOY45RCD3L




## CIRCUIT DIAGRAM


Models : AUY18RLD  
AUY25RLD  
AUY30RLD  
AUY36RLC3  
AUY45RLC3




Models : AOY18RZBL  
AOY25RZAL



Model : AOY30RBJL




Models : AOY36RCD3L  
AOY45RCD3L




Models : AUY18RLD  
AUY25RLD  
AUY30RLD  
AUY36RLC3  
AUY45RLC3

# INDOOR P. C. BOARD CIRCUIT DIAGRAM




# OUTDOOR P. C. BOARD CIRCUIT DIAGRAM

Model : AOY18RZBL




Model : A0Y25RZAL

CONTROLLER PCB ASSEMBLY(MAIN PCB)  
EZ-0963HUE-C




Model : AOY30RBJL

CONTROLLER PCB ASSEMBLY(MAIN PCB)  
EZ-0963HUE-C




Models : AOY36RCD3L  
AOY45RCD3L





# REFRIGERANT SYSTEM DIAGRAM


Models : AUY18RLD/AOY18RZBL




Models : AUY25RLD/AOY25RZAL



Models : AUY30RLD/AOY30RBJL




Models : AUY36RLC3/AOY36RCD3L



→ Cooling  
 - - - - - Heating  
 ⊞ : Flare Coupling  
 ⇨ Check Valve


Models : AUY45RLC3/AOY45RCD3L




→ Cooling  
 - - - - - Heating  
 ⊞ : Flare Coupling  
 ⇨ Check Valve

# DISASSEMBLY ILLUSTRATION

Model : UTG-UCYG-W




Models : AUY18RLD  
AUY25RLD




[illegible]

- 23 -


Models : AOY18RZBL  
AOY25RZAL




Model : AOY18RZBL




Model : AOY25RZAL






Models : AOY18RZBL  
AOY25RZAL




Model : AOY30RBJL









Models : AOY36RCD3L  
AOY45RCD3L




Model : A0Y36RCD3L



Model : A0Y45RCD3L



Models : AOY36RCD3L  
AOY45RCD3L



# P A R T S   L I S T

OUTDOOR UNIT

When you order parts, please make a photocopy of this page  
and fill the number of the parts in the "Order" column.

| Ref. No. | Description                     | Part No.     |              |              |              |              | Order<br>Q'ty |
|----------|---------------------------------|--------------|--------------|--------------|--------------|--------------|---------------|
|          |                                 | AOY18RZBL    | AOY25RZAL    | AOY30RBJL    | AOY36RCD3L   | AOY45RCD3L   |               |
| 2        | Fan Cover                       | 9350214020   | 9350214020   | 9359808015   | 9352159015   | 9352159015   |               |
| 4        | Emblem-Rear                     | 9351355005   | 9351355005   | 9351355005   | 9351355005   | 9351355005   |               |
| 5        | Cabinet-A, Painted              | 9303876015   | 9303876015   | 9359797029   | 9352146015   | 9352146015   |               |
| 6        | Cabinet-C, Painted              | 9353549013   | 9353549013   | —            | 9352149016   | 9352149016   |               |
| 7        | Connector Cover                 | 9358011011   | 9358011011   | —            | —            | —            |               |
| 8        | Wire Assy(Shield)-D             | 9350215027   | 9350215027   | 9359904021   | —            | —            |               |
| 9        | Cabinet-B, Painted              | 9303874011   | 9303874011   | 9359798026   | 9352147012   | 9352147012   |               |
| 12       | Base Assy, Painted              | 9353452016   | 9353452016   | 9359812029   | 9352136016   | 9352136016   |               |
| 13       | 3-Way Valve Assy                | 9357963013   | 9357963013   | —            | —            | —            |               |
| 13-1     | 3-Way Valve (5/8)               | —            | —            | 9360157003   | —            | —            |               |
| 13-2     | 3-Way Valve (3/8)               | —            | —            | 9360150004   | —            | —            |               |
| 14       | 2-Way Valve Assy                | 9357964010   | 9357964010   | —            | —            | —            |               |
| 15       | Dryer                           | 9350380022   | 9300589024   | 9353789006   | 9353789006   | 9353789006   |               |
| 16       | Condenser Assy                  | 9353455048   | 9353455024   | 9360280015   | —            | —            |               |
| 16-1     | Condenser-A Assy                | —            | —            | —            | 9353023001   | 9355338011   |               |
| 16-2     | Condenser-B Assy                | —            | —            | —            | 9353024008   | 9353363008   |               |
| 17       | "U" Pipe-Y                      | 313728127102 | 313728127102 | —            | —            | —            |               |
| 18       | Suction Pipe                    | 9351590017   | 9350598007   | —            | 9352286001   | 9353200006   |               |
| 19       | Capillary Tube                  | —            | —            | —            | —            | 9353373007   |               |
| 20       | Discharge Pipe                  | 9358635001   | 9350601004   | —            | 9357362007   | 9357359007   |               |
| 21       | Discharge Pipe-B                | 9358634004   | 9350602001   | —            | 9352289002   | 9353209009   |               |
| 26       | Compressor Cover                | 9354036000   | 9354036000   | 9360579003   | 9352416002   | 9353367006   |               |
| 29       | Separate Wall                   | 9302475011   | 9302475011   | 9359804017   | 9355277013   | 9355277013   |               |
| 30       | Blower Cover, Painted           | —            | —            | —            | 9352151019   | 9352151019   |               |
| 32       | Control Box Metal               | —            | —            | 9359839019   | 9352134012   | 9352134012   |               |
| 32-1     | Control Box Metal-A             | 9357137001   | 9357137001   | —            | —            | —            |               |
| 32-2     | Control Box Metal-B             | 9357138008   | 9357138008   | —            | —            | —            |               |
| 34       | Capacitor (Fan Motor)           | 9357965024   | 9357965024   | 9700467052   | 9357965024   | 9357965024   |               |
| 36       | Cord Holder Metal               | 9356934007   | 9356934007   | —            | 9356934007   | 9356934007   |               |
| 37       | Running Capacitor               | 9357211015   | 9357211015   | 9357211077   | —            | —            |               |
| 38       | Capacitor Clamp                 | 313791061807 | 313791061807 | 9360610010   | —            | —            |               |
| 39       | Propeller Fan Assy              | 9300855013   | 9300855013   | 9359837015   | 9300855013   | 9300855013   |               |
| 41       | Fan Motor Assy-Out              | 9351333119   | 9351333119   | 9600266045   | 9600266014   | 9600266014   |               |
| 45       | Bracket(Motor) Assy             | 313029311100 | 313029311100 | —            | 9352141003   | 9352141003   |               |
| 45-1     | Motor Bracket Metal             | —            | —            | 9359801016   | —            | —            |               |
| 45-2     | Motor Bracket Top Metal         | —            | —            | 9359803010   | —            | —            |               |
| 46       | Compressor Assy                 | 9360509055   | 9360509017   | 9360613011   | 9352412004   | 9353157003   |               |
| 48       | Bracket(Coupler) Assy           | —            | —            | —            | 9355281010   | 9355281010   |               |
| 54       | Condensing Pipe                 | 313986123207 | 9300557016   | —            | 9357337005   | —            |               |
| 55       | Special Nut M8<br>(For Comp.)   | 313252257701 | 313252257701 | 31325257701  | 313252257701 | 313252257701 |               |
| 64       | Cabinet-left                    | —            | —            | 9359840022   | —            | —            |               |
| 67       | Rubber (Vibration-proof)        | 313659068604 | 313659068604 | —            | —            | —            |               |
| 82       | Check Joint Assy                | —            | —            | 9360771001   | —            | —            |               |
| 83       | Check Joint Bracket             | —            | —            | 9359807018   | —            | —            |               |
| 84       | Valve Cover                     | —            | —            | 9359817017   | —            | —            |               |
| 85       | Valve Fixing Plate              | —            | —            | 9359806011   | —            | —            |               |
| 88       | Restrictor Valve                | —            | —            | 9360146007   | —            | —            |               |
| 107      | Rubber Seat-A(For Comp.)        | 313093081402 | 313093081402 | 313102081406 | 9351875039   | 9351875039   |               |
| 108      | Sleeve-A (For Comp.)            | 313093081706 | 313093081706 | 313696081700 | 9351875046   | 9351875046   |               |
| 109      | Terminal Cover<br>(For Comp.)   | 313202059600 | 313202059600 | 9352456022   | 9351875053   | 9353360007   |               |
| 110      | Lock Wire (For Comp.)           | 313202059706 | 313202059706 | —            | —            | —            |               |
| 111      | Terminal Packing<br>(For Comp.) | 313202059807 | 313202059807 | 9352456039   | 9351875060   | 9353361004   |               |
| 128-1    | Rubber(Discharge Pipe)          | —            | —            | 313155086308 | —            | —            |               |
| 178-1    | Capillary Holder Rubber         | 313414274807 | 313414274807 | —            | —            | —            |               |
| 178-2    | Capillary Holder Rubber         | —            | —            | 313394274808 | 313394274808 | 313394274808 |               |
| 185      | Rubber Bushing                  | —            | —            | —            | 313005066051 | 313005066051 |               |
| 187      | Clamp No. 1219                  | 313361271706 | 313361271706 | 313361271706 | —            | —            |               |
| 210      | Main Relay                      | 9356781007   | 9356781007   | —            | —            | —            |               |
| 232      | Pipe Assy                       | 9300990028   | 9300990028   | —            | —            | —            |               |
| 233      | Power Transformer               | 9701549016   | 9701549016   | 9701549016   | 9701549016   | 9701549016   |               |
| 236      | Controller PCB Assy             | 9701888016   | 9701936014   | 9701936014   | 9701936014   | 9701936014   |               |
| 259      | Muffler                         | 313755083903 | 9350605002   | 313755083903 | —            | —            |               |
| 271      | 4-Way Valve Rubber              | 313728251908 | 313728251908 | —            | —            | —            |               |

OUTDOOR UNIT (Continued)

When you order parts, please make a photocopy of this page and fill the number of the parts in the "Order" column.

| Ref. No. | Description                | Part No.     |              |              |              |              | Order<br>Q'ty |
|----------|----------------------------|--------------|--------------|--------------|--------------|--------------|---------------|
|          |                            | AOY18RZBL    | AOY25RZAL    | AOY30RBJL    | AOY36RCD3L   | AOY45RCD3L   |               |
| 272      | Strainer                   | 9350379026   | 9300590020   | 9360147011   | —            | —            |               |
| 300      | Suction Pipe-C             | 9350358014   | 313986157307 | —            | 9352759000   | —            |               |
| 304      | Thermostat Fixture-B       | 313349051500 | 313349051500 | —            | —            | —            |               |
| 327      | Suction Pipe-A             | —            | —            | 9360152008   | 9352754005   | —            |               |
| 330      | Inlet Pipe (Cond.)-A       | 313986023206 | —            | —            | —            | 9353310002   |               |
| 331      | Suction Pipe-D             | 9350359011   | 313986353502 | —            | —            | —            |               |
| 332      | Suction Pipe-E             | 9301296013   | 9350600007   | —            | —            | —            |               |
| 333      | Accumulator                | 9350363018   | 313986117201 | 9360183002   | 9350363018   | 9350363018   |               |
| 333-2    | Accumulator (B)            | —            | —            | —            | 9357987002   | 9357987002   |               |
| 334      | Suction Pipe-B             | 9351591014   | 9350599004   | —            | 9352287008   | 9352287008   |               |
| 338      | Motor Fixture              | 313029297108 | 313029297108 | —            | —            | —            |               |
| 343      | Solenoid Coil              | 9359616108   | 9359616108   | 9360538017   | 9359616108   | 9359616108   |               |
| 344      | 4-Way Valve                | 313943302804 | 9300604017   | 9360195005   | 9353055002   | 9353532008   |               |
| 348      | Outlet Pipe(Cond.) Assy    | —            | —            | 9360131003   | —            | —            |               |
| 351      | Outlet Pipe-F              | —            | —            | 9360158000   | —            | —            |               |
| 353      | Thermistor Assy-Pipe       | 9701330010   | 9701330010   | 9701330010   | 9701330010   | 9701330010   |               |
| 360      | 4-Way Valve Band           | 313986251802 | 313986251802 | —            | —            | —            |               |
| 361      | Accumulator Support        | 313986353804 | 313986353804 | 9359843016   | —            | —            |               |
| 371      | Process Pipe-B             | 313142082352 | —            | —            | —            | —            |               |
| 381      | Locking Spacer             | 313209391506 | 313209391506 | 313209391506 | 313209391506 | 313209391506 |               |
| 405      | Clamp No. 1763             | —            | —            | —            | 313816345304 | 313816345304 |               |
| 407      | Clip (Cable) No. 1259      | —            | —            | 313739340109 | 313739340109 | 313739340109 |               |
| 450      | Discharge Pipe-A Assy      | —            | —            | 9360124005   | —            | —            |               |
| 477      | Bell Mouth                 | —            | —            | 9359809012   | —            | —            |               |
| 519      | Check Valve Assy           | 9357341002   | 9353468017   | —            | —            | —            |               |
| 527      | Protection Net             | —            | —            | 9359844013   | 9352163012   | 9352163012   |               |
| 549      | Thermostat Assy-Outer      | 9357328027   | 9357328027   | 9357328027   | 9357328010   | 9357328010   |               |
| 620      | Inlet Pipe (Cond.) Assy    | —            | 9300559010   | 9360126009   | 9352741005   | 9353183002   |               |
| 628      | Locking Spacer-B           | 313005446558 | 313005446558 | 313005446558 | 313005446558 | 313005446558 |               |
| 646      | Compressor Cover-B         | 313986355101 | 313986355101 | 9353368003   | 313986355101 | 9353368003   |               |
| 652-1    | Thermistor Holder Pipe     | —            | —            | 313806262805 | —            | —            |               |
| 653-1    | Bolt(Fan Motor Fixing)     | —            | —            | 0700156014   | 0700156014   | 0700156014   |               |
| 678      | Bracket (Thermistor)       | 313557406106 | 313557406106 | 313557406106 | 313557406106 | 313557406106 |               |
| 717      | Center Plate               | 9350216017   | 9350216017   | —            | —            | —            |               |
| 718      | Discharge Pipe-C           | —            | 9350603008   | —            | 9352763007   | 9353211002   |               |
| 734      | Cabinet Top Plate          | —            | —            | 9359799023   | 9352161018   | 9352161018   |               |
| 735      | Distributor Assy           | —            | —            | —            | —            | 9353187000   |               |
| 744      | Clamp(Condenser)           | —            | —            | 313166374106 | —            | —            |               |
| 751      | Bracket (Muffler) Assy     | —            | 9350612000   | —            | —            | —            |               |
| 788      | Thermistor-Discharge       | 9358337011   | 9358337011   | 9358337011   | 9358337028   | 9358337028   |               |
| 790      | Belt Heater                | —            | —            | 9353947000   | 9352415005   | 9353359001   |               |
| 791      | Magnetic Relay             | —            | —            | —            | 9352552007   | 9352552007   |               |
| 803      | Cabinet-D, Painted         | —            | —            | —            | 9352150012   | 9352150012   |               |
| 805      | Blower Cover Corner        | —            | —            | —            | 9352160011   | 9352160011   |               |
| 806      | Cond. Pass Pipe-A          | —            | —            | —            | 9357340005   | —            |               |
| 807      | Cond. Pass Pipe-B          | —            | —            | —            | 9354112001   | —            |               |
| 808      | Inlet Pipe (Accumulator)   | —            | —            | —            | —            | 9353180001   |               |
| 809      | Ball Valve-A               | —            | —            | —            | 9357976006   | 9357976006   |               |
| 810      | Ball Valve-B               | —            | —            | —            | 9357982007   | 9357982007   |               |
| 812      | Grip                       | —            | —            | 9352157004   | 9352157004   | 9352157004   |               |
| 813      | Cabinet Hook               | —            | —            | —            | 9352148002   | 9352148002   |               |
| 815      | Terminal-5P                | 9356497021   | 9356497021   | —            | —            | —            |               |
| 815      | Terminal-8P                | —            | —            | 9356484052   | 9358640029   | 9358640029   |               |
| 816      | Wire Clamp Metal           | —            | —            | —            | 313584219902 | 313584219902 |               |
| 819      | Joint Pipe(Valve-A)        | —            | —            | —            | —            | 9353904003   |               |
| 821      | Joint Pipe(Valve-B) Assy   | —            | —            | —            | 9352284007   | 9353307002   |               |
| 822      | Fan Cover Fixture-A        | —            | —            | —            | 9352158018   | 9352158018   |               |
| 825      | Expansion Valve Assy       | —            | —            | —            | 9353001009   | 9353311009   |               |
| 826      | Condensing Pipe-B          | 9353580016   | 9300558013   | —            | 9352990007   | 9353215000   |               |
| 842      | Cond. Pass Pipe-C          | —            | —            | —            | 9354111004   | —            |               |
| 843      | Suction Pipe-B Assy        | —            | —            | —            | 9352755002   | —            |               |
| 845      | Insulation (Exp. Valve)    | —            | —            | —            | 9353070012   | 9353370006   |               |
| 846      | Relay                      | —            | —            | 9357058009   | 9304375005   | 9304375005   |               |
| 856      | Equalizing Pipe-C          | —            | —            | —            | —            | 9353304001   |               |
| 857      | Inlet Pipe(Accumulator)-B  | —            | —            | —            | —            | 9353199003   |               |
| 862      | Valve-B Coupling Pipe Assy | —            | —            | —            | —            | 9353309006   |               |
| 863      | Joint Pipe(Capillary)-B    | —            | —            | —            | —            | 9353206008   |               |
| 867      | Accumulator Holder Rubber  | 9354022027   | 9354022010   | 9354022010   | —            | —            |               |
| 880-1    | Network                    | —            | —            | —            | 9700987017   | 9700987017   |               |
| 922      | Muffler Rubber             | —            | 9354014008   | —            | —            | —            |               |
| 949      | Screw, Painted White       | —            | —            | 9305648009   | —            | —            |               |
| 989-1    | Cord Clamp-A               | —            | —            | 9359822011   | —            | —            |               |
| 989-2    | Cord Clamp-B               | —            | —            | 9359823018   | —            | —            |               |

## INDOOR UNIT

When you order parts, please make a photocopy of this page and fill the number of the parts in the "Order" column.


| Ref. No. | Description            | Part No.     |              |              |              |              | Order |
|----------|------------------------|--------------|--------------|--------------|--------------|--------------|-------|
|          |                        | AUY18RLD     | AUY25RLD     | AUY30RLD     | AUY36RLC3    | AUY45RLC3    | Q'ty  |
| 34       | Capacitor (Fan Motor)  | 9700468080   | 9357965017   | 313807068206 | 9700467052   | 9700467069   |       |
| 36-2     | Cord Holder Metal      | 9356362008   | 9356362008   | 9356362008   | 9356362008   | 9356362008   |       |
| 117-1    | Rubber-A               | 313005068754 | 313005068754 | 9352213007   | 9352213007   | 9352213007   |       |
| 117-2    | Rubber-B               | 313005068855 | 313005068855 | 313005068855 | 313005068855 | 313005068855 |       |
| 127      | Drain Hose             | 9352210013   | 9352210013   | 9352210020   | 9352210020   | 9352210020   |       |
| 138      | Separate Wall          | 9355637039   | 9355637039   | 9355637015   | 9355637015   | 9355637015   |       |
| 146-1    | Evaporator-A Assy      | 9356651003   | 9356652000   | 9356059007   | 9356059007   | 9356059007   |       |
| 146-2    | Evaporator-B Assy      | 9356650006   | 9356653007   | 9356060003   | 9356060003   | 9356060003   |       |
| 147      | Inlet Pipe (Eva.) Assy | 9355371032   | 9355371032   | —            | —            | —            |       |
| 160      | Drain Pan Assy         | 9357882000   | 9357882000   | 9357882000   | 9357882000   | 9357882000   |       |
| 164      | Fan Motor Assy-IN      | 9600451014   | 9600451014   | 9600398029   | 9600398029   | 9600398012   |       |
| 184-1    | Thermistor Sping-A     | 313728262708 | 313728262708 | 313728262708 | 313728262708 | 313728262708 |       |
| 187      | Clamp No.1219          | 313361271706 | 313361271706 | 313361271706 | 313361271706 | 313361271706 |       |
| 193      | Cushion Rubber         | 313376149201 | 313376149201 | 313376149201 | 313376149201 | 313376149201 |       |
| 233      | Power Transformer      | 9701678013   | 9701678013   | 9701678013   | 9701678013   | 9701678013   |       |
| 234      | Thermistor Assy        | 9302745008   | 9302745008   | 9302745008   | 9302745008   | 9302745008   |       |
| 235      | Thermistor Assy-Pipe   | 9701329045   | 9701329045   | 9701329045   | 9701329045   | 9701329045   |       |
| 236      | Controller PCB Assy    | 9701594016   | 9701594016   | 9701594016   | 9701594016   | 9701594016   |       |
| 240      | Remote Control Unit    | 9701673018   | 9701673018   | 9701673018   | 9701673018   | 9701673018   |       |
| 280      | Control Box Metal-C    | 9355636001   | 9355636001   | 9355636001   | 9355636001   | 9355636001   |       |
| 287      | Cap (Power)            | 9352173011   | 9352173011   | 9352173011   | 9352173011   | 9352173011   |       |
| 320      | Wire Clamp Metal       | 313351219907 | 313351219907 | 313351219907 | 313351219907 | 313351219907 |       |
| 329      | Coupling Pipe Assy     | 9355372015   | 9355372015   | 9356164008   | 9353718013   | 9353718013   |       |
| 381      | Locking Spacer         | 313209391506 | 313209391506 | 313209391506 | 313209391506 | 313209391506 |       |
| 431      | Bracket (Thermistor)   | 9356767001   | 9356767001   | 9356767001   | 9356767001   | 9356767001   |       |
| 447      | Control Box Metal-A    | 9355634007   | 9355634007   | 9355634007   | 9355634007   | 9355634007   |       |
| 448      | Control Box Metal-B    | 9355635004   | 9355635004   | 9355635004   | 9355635004   | 9355635004   |       |
| 457      | Drain Pan Support-A    | 9356697001   | 9356697001   | 9356697001   | 9356697001   | 9356697001   |       |
| 458      | Drain Pan Support      | 9356695007   | 9356695007   | 9356695007   | 9356695007   | 9356695007   |       |
| 462      | Top Cover Plate        | 9355938020   | 9355938020   | 9355938013   | 9355938013   | 9355938013   |       |
| 464      | Body-A                 | 9355945035   | 9355945035   | 9355945011   | 9355945011   | 9355945011   |       |
| 465      | Body-B                 | 9355946032   | 9355946032   | 9355946018   | 9355946018   | 9355946018   |       |
| 467      | Drain Port             | 313005415658 | 313005415658 | 313005415658 | 313005415658 | 313005415658 |       |
| 470      | Separate Wall-B        | 9355691031   | 9355691031   | 9355691017   | 9355691017   | 9355691017   |       |
| 471      | Pillar                 | 9355982030   | 9355982030   | 9355982016   | 9355982016   | 9355982016   |       |
| 474      | Turbo Fan Assy         | 9354332003   | 9354332003   | 9353129000   | 9353129000   | 9353129000   |       |
| 475      | Turbo Fan Rubber       | 313005445054 | 313005445054 | 9352215001   | 9352215001   | 9352215001   |       |
| 476-1    | Special Nut M8         | 313005360755 | 313005360755 | 313005360755 | 313005360755 | 313005360755 |       |
| 477      | Bell Mouth             | 9355971003   | 9355971003   | 9355692007   | 9355692007   | 9355692007   |       |
| 478      | Sensor M. Bracket      | 9352191008   | 9352191008   | 9352191008   | 9352191008   | 9352191008   |       |
| 479      | Float Switch           | 313005416154 | 313005416154 | 313005416154 | 313005416154 | 313005416154 |       |
| 482      | Pump Unit              | 9357855004   | 9357855004   | 9357855004   | 9357855004   | 9357855004   |       |
| 484      | Hanger Metal           | 9355728003   | 9355728003   | 9355728003   | 9355728003   | 9355728003   |       |
| 488      | Drain Pan Plug         | 313005174654 | 313005174654 | 313005174654 | 313005174654 | 313005174654 |       |
| 527      | Protection Net         | 9356588002   | 9356588002   | 9356588002   | 9356588002   | 9356588002   |       |
| 628      | Locking Spacer-B       | 313005446558 | 313005446558 | 313005446558 | 313005446558 | 313005446558 |       |
| 735      | Distributor Assy       | —            | —            | 9353716019   | 9353716019   | 9353716019   |       |
| 795      | Water Inlet Cover      | 9352218002   | 9352218002   | 9352218002   | 9352218002   | 9352218002   |       |
| 797      | Separate Wall-C        | 9355690034   | 9355690034   | 9355690010   | 9355690010   | 9355690010   |       |
| 798      | Pump Hook Bracket-A    | 9355629034   | 9355629034   | 9355629010   | 9355629010   | 9355629010   |       |
| 799      | Pump Hook Bracket-B    | 9355630009   | 9355630009   | 9355630009   | 9355630009   | 9355630009   |       |
| 814      | Body-C                 | 9352192005   | 9352192005   | 9352192005   | 9352192005   | 9352192005   |       |
| 815-1    | Terminal-3P            | 9356488005   | 9356488005   | 9356488005   | 9356488005   | 9356488005   |       |
| 815-2    | Terminal-3P            | 9357335018   | 9357335018   | 9357335018   | 9357335018   | 9357335018   |       |
| 834      | Wire Cover             | 9355811002   | 9355811002   | 9355811002   | 9355811002   | 9355811002   |       |
| 835      | Cushion-A (For Pump)   | 9352211003   | 9352211003   | 9352211003   | 9352211003   | 9352211003   |       |
| 836      | Cushion-B (For Pump)   | 9356084016   | 9356084016   | 9356084016   | 9356084016   | 9356084016   |       |
| 860      | Evaporator Support     | —            | —            | 9353153005   | 9353153005   | 9353153005   |       |
| 947      | Body-Z                 | 9359227007   | 9359227007   | 9359227007   | 9359227007   | 9359227007   |       |

## GRILLE ASSY (UTG-UCYG-W)

When you order parts, please make a photocopy of this page  
and fill the number of the parts in the "Order" column.

| Ref. No. | Description        | Part No.     | Ord.<br>Q'ty | Ref. No. | Description           | Part No.   | Ord.<br>Q'ty |
|----------|--------------------|--------------|--------------|----------|-----------------------|------------|--------------|
| 29       | Supportor-B        | 9356723007   |              | 693      | E-Washer              | 9357103006 |              |
| 61       | Decoration Plate   | 9357069012   |              | 694      | Cam                   | 9356727005 |              |
| 65       | Jet Vane Motor     | 9358344002   |              | 695      | Spacer                | 9357104003 |              |
| 93       | Filter             | 9356719000   |              | 696      | Latch                 | 9358709009 |              |
| 195      | Clamp SKB-100      | 313361275805 |              | 697      | Reinforcement (Panel) | 9356717006 |              |
| 205      | Wire Assy (Shield) | 9357200019   |              | 700      | Panel, Main           | 9356716016 |              |
| 313      | Hooking Wire       | 9357224008   |              | 705      | Louver Assy           | 9356713015 |              |
| 338      | Motor Fixture      | 9356726008   |              | 710      | Intake Grille         | 9356718010 |              |
| 411      | Supporter-A        | 9356722000   |              | 711      | Filter Clamp          | 9356729009 |              |
| 690      | Joint-A            | 9356731002   |              | 736      | Operation Panel*      | 9357071008 |              |
| 691      | Joint-B Assy       | 9356732009   |              | 758      | Decoration Plate-A    | 9357070001 |              |
| 692      | Shaft Holder       | 9356728019   |              |          |                       |            |              |

# INDOOR UNIT ACCESSORIES

| Name and Shape                                                                                                      | Part No.                                               |
|---------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| Coupler heat insulation<br>        | 9350716029 } 1 each<br>9352766015                      |
| Remote control unit cord clamp<br> | 313714181904                                           |
| Binder<br>                         | 313035356905 (Large)                                   |
|                                                                                                                     | 313361275805 (Small)                                   |
| Screw<br>                          | (A)301141134166<br>For installing the mounting bracket |
|                                                                                                                     | (B)301141153027<br>For installing the cord clamp       |
| Special nut A (large flange)<br>   | 313005446653                                           |
| Special nut B (small flange)<br>   | 313005446759                                           |
| Remote control unit<br>          | 9701673018                                             |
| Template<br>                     | 9357168005                                             |

# GRILLE ACCESSORIES

|                                                                                                                |              |
|----------------------------------------------------------------------------------------------------------------|--------------|
| Bolt<br>                    | 9356189001   |
| Washer<br>                  | 301801155020 |
| Spring washer<br>           | 301821150218 |
| Blower cover insulation<br> | 9357227009   |

# OUTDOOR UNIT ACCESSORIES

| Name and Shape                                                                                                   | AOG18RZBL    | AOG25RZAL    | AOG30RBJL    | AOG36RCD3L   | AOG45RCD3L   |
|------------------------------------------------------------------------------------------------------------------|--------------|--------------|--------------|--------------|--------------|
| Power cap<br>                 | —            | —            | —            | 9352173011   | 9352173011   |
| Auxiliary pipe assembly<br>   | —            | —            | —            | 9355292016   | 9355292016   |
| Edge cover<br>                | —            | —            | —            | 9352436000   | 9352436000   |
| Tapping screws<br>            | —            | —            | —            | 301463040100 | 301463040100 |
| Binder<br>                    | —            | —            | —            | 313035356905 | 313035356905 |
| Putty<br>                     | —            | —            | —            | 303020200114 | 303020200114 |
| Coupler heat insulation<br>  | —            | —            | —            | 313005074759 | 313005074759 |
| Pipe (drain)<br>            | 313728031005 | 313728031005 | —            | 313728031005 | 313728031005 |
| Flexible tube<br>           | 313013042915 | 313013042915 | —            | 313013042915 | 313013042915 |
| Cap (drain)<br>             | 313166024302 | 313166024302 | 313166024302 | 313166024302 | 313166024302 |
| Hexagon wrench<br>          | 9351228019   | 9351228019   | 9351228019   | —            | —            |
| Cable clip<br>              | —            | —            | 313739340109 | —            | —            |
| Tapping screw (painted)<br> | —            | —            | 9305648009   | —            | —            |
| Drain pipe<br>              | —            | —            | 9303029015   | —            | —            |

0905G3648